

RECEIVED **CENTRAL FAX CENTER**

JUN 0 9 2006

(972) 732-1001 (972) 732-9218 FAX www.slater-matsil.com

FACSIMILE COVER SHEET

To: Commissioner for Patents

Total Pages Sent:

8

Technology Center 2800

(including cover sheet)

Facsimile Number: 571-273-8300

Transmission Date:

June 9, 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Schneegans, et al.

Docket No.:

2001 P 17353 US

Serial No:

10/826,954

Art Unit:

2829

Date Filed:

April 15, 2004

Examiner:

Jimmy Nguyen

Title:

Probe Needle for Testing Semiconductor Chips and Method for Producing Said

Probe Needle

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following papers are being transmitted by facsimile to the U.S. Patent and Trademark Office at 571-273-8300 on the date shown above:

- Certification of Facsimile Transmission (1 page)
- Pre-Appeal Brief Request for Review (5 pages)
- Petition for Extension of Time (2 duplicate pages)

Respectfully submitted,

da M. Mane Legal Assistant

Confirmation Respectfully Requested

This facsimile is intended only for the use of the address named and contains legally privileged and/or confidential information. If you are not the intended recipient of this telecopy, you are hereby notified that any dissemination, distribution, copyling or use of this communication is strictly prohibited. Applicable privileges are not waived by virtue of the document having been transmitted by Facsimile. Any misdirected facsimiles should be returned to the sender by mail at the address indicated on this cover sheet.

JUN 0 9 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Schneegans, et al.

Docket No.: 2001 P 17353 US

Serial No.:

10/826,954

Art Unit:

2829

Filed:

April 15, 2004

Examiner:

Jimmy Nguyen

For:

Probe Needle for Testing Semiconductor Chips and Method for Producing

Said Probe Needle

Mail Stop: After Final Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

PRE-APPEAL BRIEF REQUEST FOR REVIEW

Dear Sir:

All claims have been finally rejected as being unpatentable over Smith (U.S. Patent No. 5,944,537, hereinafter "Smith"). Applicants respectfully submit that Smith does not teach or suggest the elements of the claimed invention and, therefore, cannot anticipate or make obvious the claims. Each of the independent claims 6, 11 and 18 will be discussed here.

For the purpose of this filing, Applicants have limited the number of issues being raised. That being said, Applicants reserve the right to raise other issues at a later date.

I. Claims 6 and 18 require "a substantially linear elongated member"

Claims 6 and 18 were both rejected as being anticipated by Smith. Both claims 6 and 18 recite a probe needle that includes "a substantially linear elongated member." Smith simply does not teach or suggest a substantially linear member. Contrary to the assertions of the Final Rejection, Smith teaches and suggests a contact member that is always curved; the contact member in Smith is never substantially linear.

2001 P 17353 US

Page 1 of 5

Pre-Appeal Brief Request for Review

The Final Rejection states that "under the normal condition which is not contact with the device (101), the elongate member (15) is linear elongated member with the fixed end (anchor portion 12) fasten to the substrate (14)." Final Rejection, page 2. This statement, however, is in direct contradiction of the very explicit teachings of the Smith reference. In particular, Smith states:

Each spring contact 15 is formed such that a stress gradient $\Delta\sigma/h$ is introduced into the spring contact 15. When the spring contact 15 is formed, the metal layer comprising the spring contact 15 is deposited such that compressive stress is present in lower portions of the metal layer and tensile stress is present in upper portions of the metal layer. ... The stress gradient $\Delta\sigma/h$ causes the spring contact 15 to bend into the shape of an arc having a radius r.

Smith, col. 5, lines 46-57 (emphasis added).

These statements cannot be read to imply that the free portion of the metal strip is substantially linear before contact and bends only after contact, as stated in the Final Rejection. As is clear from the equation presented in column 5 of Smith, the member is substantially linear (i.e., radius $r = \infty$) only when the inherent stress gradient $\Delta \sigma$ is zero. Smith, col. 5, eq. (1). However, the whole point of the invention in Smith is to create a contact member by inherent stress gradient, which is not zero. Smith, Abstract ("an inherent stress gradient in the spring contact causes a free portion of the spring contact to bend up and away from the substrate.") Therefore, a substantially linear member as disclosed in the present application, with radius $r = \infty$, is not taught, suggested, or remotely disclosed by Smith.

Further, the invention in Smith "also provides an elastic spring contact having an *inherent* stress gradient that causes the free portion of the spring contact to bend away from a substrate to form a "shepherd's hook" shape." Smith, col. 3, lines 51-54 (emphasis added). If a member has an inherent stress gradient then it cannot remain substantially linear in the absence of external forces.

See Smith, col. 5, lines 40-45 ("a strip of metal having no inherent stress gradient inherent in the

metal will lie flat... Likewise if a uniform stress gradient ... is introduced into the flat metal strip, the metal strip will bend into an arc shape.")

Smith further points out that the free portion remains curved up even after annealing the spring contact. Smith, col. 8, lines 25-26. Thus, the Final Rejection is incorrect when it states that the elongated member is linear when it is not in contact with the device. Smith makes it clear that the elongated member is curved before contact with any device. Smith, Figs. 6, 11, 12, 23, 28.

These points were raised in a Response Under 37 C.F.R. § 1.116. In response, the Advisory Action states the "spring contact 15 is bend into the shape of an arc having a radius r, it means that before it bends to the shape of arc, the spring contact 15 has structure as elongated member." The Advisory Action concludes that "a structure that illustrated as elongated member will read on the claims structure eventhought it will re-shaped later."

The Examiner appears to be stating that during the manufacturing process, the spring contact 15 was once linear. (See e.g., Figures 7 and 8). Even assuming for the sake of argument that this statement is true, the claims are still patentable.

Claim 6 specifically recites a probe needle with "a substantially linear elongated member including a fixed end that is fastened in a holding element." The probe needle further includes "a contact tip attached at a free end of the substantially linear elongated member." The reference provides no teaching that the unmanufactured spring contact has either a fixed end fastened in a holding element or a contact tip attached to a free end.

Claim 18 recites a method that includes contacting a test probe to at least one of the pads of a semiconductor wafer, the test probe being attached to a probe card and including a substantially linear elongated member with a contact tip. An electrical test is performed by applying a test signal to the semiconductor wafer through the test probe. Applicants respectfully submit that any alleged

2001 P 17353 US

shape of a test probe during its manufacture is not remotely relevant to its very explicitly claimed shape during use. A rejection cannot be made without considering the explicit language of the claim.

Finally, the Advisory Action states that the term "substantiall linear elongated member" means that "the contact member is not absolutely is an elongated member but its structure is almost as elongated member." Applicants agree that an elongated member that is substantially linear does not need to be absolutely perfectly linear. Applicants strongly assert, however, that substantially linear elongated members cannot include any elongated members that are not even remotely linear. Use of the term "substantially" does not mean the word that is being described can be completely ignored.

2. Claim 11 requires that "the coating with titanium and titanium nitride takes place in situ"
Claims 11-15 are rejected under 35 U.S.C. §103(a) as being unpatentable over Smith. Claim
11 explicitly recites that "the coating with titanium and titanium nitride takes place in situ." The
Final Rejection apparently ignores this limitation in its rejection of claim 11. Further, this point was
raised in the after-final response and the Advisory Action still ignores this limitation. Applicants
respectfully submit that all limitations must be considered when rejecting the claims.

Unlike in the present application, deposition of an adhesive layer and a hard coating layer over the contact tip of the probe needle in Smith is not in situ. Nowhere in Smith is there any suggestion that the adhesive layer and coating layer can be deposited in situ. In fact, these processes must be consecutive processes in Smith because the adhesive layer is titanium, while the coating layer is gold. See Smith, col. 10, lines 16-26. Simply stated, the Final Rejection fails to make even a prima facie case of unpatentability.

2001 P 17353 US

Page 4 of 5

Pre-Appeal Brief Request for Review

In view of the above, Applicants respectfully request allowance of the present invention. The final rejection of claims 1 and 18 is in direct contradiction with the explicit teachings of the relied upon reference. The new position taken in the Advisory Action also does not provide any teaching or suggestion of the claimed invention. As for claim 11, explicit limitations, which are neither taught by nor obvious in view of the relied upon reference, have been ignored during examination.

Date

Slater & Matsil, L.L.P. 17950 Preston Rd., Suite 1000 Dallas, Texas 75252-5793 Tel. 972-732-1001

Fax: 972-732-9218

Respectfully submitted,

Ira S. Matsil

Attorney for Applicants

Reg. No. 35,272